## AMSC/CMSC 460: HW #10Due: Tuesday 5/8/18 (in class)

Please submit the solution to at least one problem in LaTeX.

1. Use the Lagrange interpolation polynomial to derive the formula of the form

$$\int_{0}^{1} f(x)dx \approx Af(1/3) + Bf(2/3)$$

Transform the preceding formula to one for integration over [a, b]. Apply this result to evaluate  $\int_0^{\pi} \sin(x)$ . Compare with the exact value of the integral.

2. Find the formula

$$\int_{0}^{1} f(x)dx \approx A_{0}f(0) + A_{1}f(1)$$

that is exact for all functions of the form  $f(x) = ae^x + b\cos(\pi x/2)$ .

3. Use the Lagrange interpolation polynomial to derive the formula of the form

$$\int_0^2 f(x)dx \approx Af(0) + Bf(3/4) + Cf(2)$$

Transform the preceding formula to one for integration over [a, b].

- 4. Derive a formula for approximating  $\int_{1}^{2} f(x) dx$ , in terms of f(0), f(1), f(4). It should be exact for all f in  $\Pi_{2}$ .
- 5. Derive the Newton-Cotes formula for  $\int_0^1 f(x) dx$ , based on the Lagrange interpolation polynomial at the nodes -2, -1 and 0. Apply this result to evaluate the integral when  $f(x) = \sin \pi x$ .